مقالات مرکز تحقیقات عوارض پیوند کلیه (مورد 38)

| مقالات انگلیسی | | | |
|--|---------|------|--|
| عنوان مقاله | سال چاپ | رديف | |
| Primary bilateral non-Hodgkin's lymphoma of the adrenal gland. | 7.17 | ١ | |
| A Rare Case of Urachal Adenocarcinoma: Long Term Follow Up | 4.14 | ۲ | |
| Study of bacterial infections among patients receiving kidney transplant in Mashhad, Iran | Y•1A | ٣ | |
| Effect of Unilateral Iatrogenic Torsion onContralateral Testis inRat, Prepubertal andPostpubertal | 7.17 | ۴ | |
| Successful pregnancy in a chronic hemodialysis patient | 4.17 | ۵ | |
| Comparison of Tacrolimus and Cyclosporine for Immunosuppression after Renal Transplantation: An Updated Systematic Review and MetaAnalysis | 4.17 | ۶ | |
| Prevalence of the Metabolic Syndrome in Kidney Transplant Recipients: A Single-center Study | 7.17 | ٧ | |
| Epidemiology of Infectious Complications in Renal Allograft Recipients in the First Year After Transplant | 7.17 | ٨ | |
| Urinary tract infections in kidney transplant recipients 1st year after transplantation | 7.17 | ٩ | |
| Clinical Practices and Therapeutic Management of Mineral and Bone Disorders in Chronic Kidney Disease 4 ,5and 5D:The OCEANOS Study in Iran | Y•1V | ١٠ | |
| Impact of Propranolol on Preventing Renal Dysfunction in Patients with Cirrhosis. | 7.17 | 11 | |
| Relationship between vitamin D deficiency and metabolic syndrome in renal transplant patients in Mashhad, Iran | Y+1V | ١٢ | |
| food-strategies-of-renal-atrophy-based-on-avicenna-and- conventional-medicine | 7.17 | 14 | |
| The effect of cytomegalovirus infection on acute rejection in kidney transplanted patients | 7.19 | 14 | |

| Restless leg syndrome in chronic hemodialysis patients in Mashhad hemodialysis centers. | 4.18 | 10 |
|--|------|----|
| Impact of FGF23 level on calcium and phosphorus levels in post-renal transplantation | 7.19 | 19 |
| Correlation between serum leptin and bone mineral density in hemodialysis patients. | Y.19 | ١٧ |
| The effect of cytomegalovirus infection on acute rejection in kidney transplanted patients. | 7.19 | ١٨ |
| Association of metabolic syndrome with serum fibroblast growth factor 21 in kidney transplanted patients. | 7.19 | 19 |
| The relationship between serology of hepatitis E virus with liver and kidney function in kidney transplant patients. | 4.19 | ۲٠ |
| A potential role for cytomegalovirus in a facial ulcer in a renal transplant recipient. | 7.19 | *1 |
| Platelet Dysfunction among Patients with End Stage Renal Diseases (Review Article) | 7.10 | ** |
| p63 is more sensitive and specific than 34βE12 to differentiate adenocarcinoma of prostate from cancer mimickers. | 7.14 | 74 |
| Recurrent Spontaneous Rupture of the Urinary Bladder in a Patient With Human T-lymphotropic Virus Type 1-Associated Myelopathy: A Case Report and Literature Review. | 7.14 | 74 |
| Pulmonary and chest wall metastasectomy in urogenital tumors: a single center experience and review of literature. | 7.14 | ۲۵ |
| The evaluation of Serum Copper Level in Hemodialysis Patients with and without anemia Compared with Healthy Controls | 7.14 | 75 |
| Cisplatin Induced Nephrotoxicity | 7.14 | ** |

| RIFLE criteria for acute kidney injury in the intensive care units. A Workshop on Urinalysis and a Survey on Urine Microscopy | 7.14 | 7.7 |
|--|------|------------|
| Among Kidney Centers of Ira Graft function based on two hours peak level monitoring of cyclosporine A during the first six months of renal transplantation. | 7.17 | ۳. |
| The Effects of Calcitriol on Albuminuria in Patients with Type- 2 Diabetes Mellitus | 7.17 | ٣١ |
| مقالات فارسي | | |
| هیپر کلسمی ناشی از هیپرویتامینوز D در یک جوان ورزشکار | ۲۰۱٦ | ٣٢ |
| ارتباط بین سطح ۲۵هیدروکسی ویتامین D و سطوح سرمی هموگلوبین واندکس اریتروپویتین در بیماران دیالیز خونی | Y+10 | ٣٣ |
| بررسی ارتباط بین CRP باحساسیت بالا با متغیرهای امپدانس بیوالکتریکال در بیماران دیالیزخونی | 7.15 | ٣٤ |
| ار تباط معیار فعالیت لوپوس اریتماتوی سیتمیک (SLEDAI)با سطح اسید اوریک سرم در بیماران مبتلا به لوپوس اریتماتوی سیستمیک | ۲۰۱٤ | r o |
| بررسی ارتباط بین توازن پرواکسیدانت – آنتی اکسیدانت با نفریت لوپوسی | 7.12 | ٣٦ |
| بررسی ارزش تشخیصی قند خون ناشتا و آزمون تحمل گلو کزدرروز پنجم بعد از پیوند کلیه در پیش بینی بروز دیابت | Y+1£ | ٣٧ |
| بررسی ارتباط بین سطوح تستوسترون تام و ازاد سرم با همو گلوبین و CRP باحساسیت بالا دربیماران مبتلابه نارسایی مزمن کلیه درمراحل ۳ و ۴ و بیماران همودیالیزی | Y-1Y | ٣٨ |